

Tasks

Filter:

Task ID **Contains** TS.01148244

Entity **Part of** Grosvenor

Scope

Entity Grosvenor
 Action Plan LFI TASKS - IN.00210794 DNRME HPI - CH4 Exceedance LW103 TG Gas Exceedance 4.32PM 19OCT2019
 Action Plan ID AP.00758600

Archives

Archived ✘

Task Details

Task ID TS.01148244
 Task Name Implement a reduction of the ceiling setting from 1.9 to 1.6, until review of barometric pressure influence on T/G gas make.
 Task Description Implement a reduction of the ceiling setting from 1.9 to 1.6, until review of barometric pressure influence on T/G gas make.
 Department Responsible Mining Operations
 Task Type Practical action
 Priority Medium
 Hierarchy of Controls Administration
 What happened (Agency)

Task Status

Start Date 11/11/19
 Original Due Date 18/11/19
 Revised Due Date
 Real Due Date 18/11/19
 Status Completed
 Progress 100%
 No. of revision (due date) 0

Frequency of reoccurrence None

Team

Person Responsible Agustin John - [REDACTED]

Completion

Completion Date 12/11/19

Completion Comments Setting reduced

Is follow up required? No

What needs to be done

Historic Documentation

Related Files

Comments



Created by **Joanne Cooney {Contributor}** on **11/11/19 14:59:00**

Last modified by **John Agustin {Contributor}** on **12/11/19 15:07:28**

Subscription Status: (On / Off)
